

PISUM NEWSLETTER  
 VOLUME 19 1987  
 TABLE OF CONTENTS

|   | Page |
|---|------|
| Preface . . . . .   | 1    |
| Cover. . . . .  | 3    |
| Research Reports  |      |
| THE EFFECT OF VARIOUS SUBSTANCES ON IN VITRO ROOTING OF<br>TWO PEA GENOTYPES. T. Cardi, E. Filippone, and F. Adamo .                                    | 4    |
| CYTOLOGICAL STUDIES ON THE PROGENIES OF TETRAPLOID PLANTS<br>OF PISUM. C. Conicella and A. Errico.  | 7    |
| IMPROVEMENT OF THE SELECTION VALUE OF GENE <i>dgl</i> THROUGH<br>RECOMBINATION. W. G. Gottschalk . . . . .  | 9    |
| BREEDING EARLY-MATURING PROTEIN PEAS. S. Hovinen . . . . .  | 12   |
| THE MUTATIONS AFILA AND ACACIA IN CONNECTION WITH A MODEL<br>FOR THE EARLY PHYLLMORPHOGENESIS OF PISUM SATIVUM.<br>H. W. Ingensiep and J. Lenz. . . . . | 15   |
| MUTANTS DEFECTIVE IN SYMBIOTIC NITROGEN FIXATION.<br>B. E. Kneen and T. A. LaRue. . . . .   | 17   |
| SOMATIC EMBRYOGENESIS IN PEA. W. Kysely and<br>H.-J. Jacobsen.....  | 18   |
| COMMENTS ON THE CHROMOSOME MAPS OF PISUM SATIVUM. R. Lamm   | 20   |
| BASES AND PROPOSALS FOR A MODEL IN CONNECTION WITH THE<br>EARLY PHYLLMORPHOGENESIS OF PISUM SATIVUM. J. Lenz and<br>H. W. Ingensiep. . . . .            | 25   |
| LOW PENETRANCE AND VARYING EXPRESSIVITY IN A<br>CHLORAMPHENICOL INDUCED PEA MUTANT. W.-E. Loennig . . . . .   | 28   |
| DETERMINATE GROWTH HABIT ( <i>det</i> ) IN PEAS: ISOLATION,<br>SYMBOLIZATION, AND LINKAGE. R. Kh. Makasheva and<br>A. M. Drozd . . . . .                | 31   |
| SINUATE LEAF <i>sil</i> LINKED WITH <i>Wsp</i> . G. A. Marx . . . . .   | 33   |
| SUPPLEMENTAL LINKAGE DATA FOR CHROMOSOMES 1 AND 7.<br>G. A. Marx . . . . .  | 35   |
| IS <i>Td</i> LOCATED ON CHROMOSOME 3 OR 4? G. A. Marx . . . . .   | 38   |

|  |    |
|--|----|
| ADDITIONAL EVIDENCE PLACING Rb IN CHROMOSOME 3.<br>G. A. Marx.....   | 40 |
| ON THE GENES FOR RESISTANCE TO FUSARIUM WILT.<br>F. J. Muehlbauer. . . . .   | 41 |
| LINKAGE DATA FOR dne AND CHROMOSOME 3 MARKERS b AND<br><u>st</u> . I. C. Murfet. . . . .   | 45 |
| A COMPARISON OF THE OPTICAL PROPERTIES OF gp (YELLOW)<br>AND Gp (GREEN) FRUITS. D. N. Price, M. E. Donkin, and<br>A. Hull. . . . .                         | 46 |
| LIST OF GENES IN PISUM SATIVUM FOR RESISTANCE TO VIRUSES.<br>R. Provvidenti. . . . .   | 4H |
| OBSERVATIONS ON THE RELATIVE ELECTROPHORETIC MOBILITY OF<br>PISUM SEED AMYLASES. J. Przybylska, S. Blixt,<br>Z. Zimniak-Przybylska, and J. George. . . . . | 50 |
| INTERNODE LENGTH IN PISUM: A FURTHER MUTATION AT THE la<br>LOCUS. J. B. Reid . . . . .   | 52 |
| UPDATE, PISUM GERMLASM AND PEA SEEDBORNE MOSAIC VIRUS<br>IN NORTHERN INDIA, 1987. N. Rishi and R.O.Hampton . . . .   | 55 |
| INTERNODE LENGTH IN PISUM: EFFECT OE THE GENE art<br>( <u>arthritic</u> ). R. N. Rothwell and I. C. Murfet.. . . .   | 59 |
| A SHORT METHOD TO DEMONSTRATE THE LACK OR REDUCTION OF<br>CHLOROPHYLL b IN DIFFERENT MUTANTS OF PISUM SATIVUM.<br>R. Schmitz. . . . .                      | 61 |
| GENETIC STUDIES OF SEMI DOMINANT MUTATIONS IN PEA.<br>K. K. Sidorova and L. P. Uzhintseva . . . . .  | 64 |
| ORANGE COTYLEDONS ( <u>Orc</u> ) AND ORANGE LEAVES ( <u>orl</u> ) : NEW<br>GENES ON CHROMOSOME 1. W. K. Swiecicki. . . . .                                 | 66 |
| A SECOND <u>costata</u> GENE <u>lum-2</u> ON CHROMOSOME. I.<br>W. K. Swiecicki. . . . .  | 70 |
| DETERMINATE GROWTH ( <u>det</u> ) IN PISUM: A NEW MUTANT GENE ON<br>CHROMOSOME 7. W. K. Swiecicki. . . . .   | 72 |
| GOLD NECROSIS ( <u>gn</u> ): A NEW GENE ON CHROMOSOME 5.<br>W. K. Swiecicki. . . . .   | 74 |
| CONFIRMING DATA FOR MAPPING ISOZYMIC LOCUS <u>Aat-p</u> .<br>W. K. Swiecicki and B. Wolko. . . . .   | 76 |

|   |     |
|---|-----|
| LINKAGE RELATIONS OF GENES <u>af-i</u> . ON CHROMOSOME 1 AND<br><u>curl-tl</u> ON CHROMOSOME 7 IN PEAS ( <u>Pisum sativum</u> L.).<br>I. Trifu . . . . .  | 77  |
| A NEW MUTANT PRODUCING LOBATE LEAFLETS IN PEA ( <u>Pisum</u><br><u>sativum</u> L.). I Trifu . . . . .   | 78  |
| OBSERVATION OF LINKAGE BETWEEN <u>Wsp</u> AND THE ISOZYME LOCUS<br><u>Alat-p</u> . N. F. Weeden . . . . .   | 80  |
| <u>Adh-1</u> , A MARKER LOCUS FOR RESISTANCE TO PEA ENATION MOSAIC<br>VIRUS. N. F. Weeden and R. Provvidenti . . . . .                                    | 82  |
| A NEW GENE ( <u>1st</u> ) WHICH INFLUENCES STANDARD SHAPE IN PISUM<br>SATIVUM. P. J. Winfield . . . . .   | 84  |
| SISTER CHROMATID EXCHANGE (SCE) IN PISUM SATIVUM. G. Wolff,<br>A. Neumann, and R. Rapp . . . . .  | 86  |
| APPLICATION OF ELECTROPHORETIC METHODS OF ISOZYME SEPARATION<br>TO GENETICAL CHARACTERIZATION OF PEA CULTIVARS. B. Wolko<br>and W. K. Swiecicki . . . . . | 89  |
| TISSUE CULTURE STUDIES OF NINE PEA CULTIVARS. S. P. Yenne,<br>D. C. Thill, D. J. LeTourneau, and D. L. Auld . . . . .                                     | 93  |
| Features  |     |
| PISUM RESEARCH IN COLOMBIA. E. Girard and M. Lobo . . . . .   | 96  |
| DRY PEA PRODUCTION IN CANADA. A. E. Slinkard . . . . .  | 97  |
| Symbols and Type Lines  |     |
| A MATERNALLY INHERITED GENE FOR CYANIDE RESISTANT<br>RESPIRATION IN PEA. M. E. Musgrave, J. N. Sideow, and<br>I. C. Murfet . . . . .                      | 99  |
| Varietal Releases . . . . .   | 100 |
| Errata . . . . .  | 101 |
| Announcement. . . . .   | 102 |

NONE OF THE INFORMATION HEREIN SHOULD BE USED  
IN PUBLICATIONS WITHOUT OBTAINING AUTHOR'S CONSENT