

Subject-Author-Gene Cumulative Index
for PNL Volumes 15 (1983) through 19 (1987)
Charlotte Pratt - Indexer

Amino acids

Screening for sulfur containing amino acids in seeds 17:36

Biographies and obituaries

Fedotov, V. S. 15:2
Gottschalk, W. 17:3
Gustafson, A. G. 17:95
Lock, R. H. 18:2
Tschermak-Seysenegg, E. von 19:3
Weibull, W. 16:iv

Books and journals

"The Pea", R. Kh. Makasheva 18:1
"Genetics and Breeding of Peas", V. V. Khvosttova, ed. 18:1
PGRO Pea Growing Handbook. 1984 ed. 16:back cover

Branching

Branching: effect of flowering and length genes 18:12

Breeding

Breeding early-maturing protein lines 19:12
Dry pea production in Canada 19:97
Inheritance of growth rate and node development in a diallel
cross 16:8
Pea research in Colombia 19:96

Breeding lines

Cultivar database 17:90
Geneva collection of genetic stocks 17:89
Stocks requested 17:88

Carbohydrates

PEPc in developing wrinkled and round seeds 16:64

Chlorophyll

Antibiotics-mutagenesis tests: new gene, lws 17:50
Chlorophyll changes during ontogeny 17:65
Chlorophyll mutant, low penetrance and varying expressivity 19:28
Chlorophyll mutants: absorption spectra 19:61
Chromosomes 1 and 5, supplemental linkage data for 16:49
Costata gene, lum-2, on chromosome 3 19:70
gp (yellow) and Gp (green) fruits, optical properties of 19:46
Linkage of two chlorophyll mutations 16:10

Streptomycin blocks chlorophyll synthesis 15:36
 Thylakoid membrane polypeptides from wild type and chlorophyll
 deficient mutants 17:66

Chromosome map

Adh-1 and Gal-3 on chromosome 3, relative position of 17:75
 "Aero": linkage on chromosome 1
 Chromosome maps revised 19:20
 Chromosome 3 and En, linkage relationships among markers 17:57
 Chromosome 5, revised linkage map of 17:14
 Chromosomes 1 and 5, supplemental linkage data for 16:49
 Chromosomes 1 and 7: supplemental linkage data 19:35
 Curl, Ore, and "Det": linkage 18:45
 Determinate growth habit (det): isolation, symbolization, and linkage
 19:31
 dne, b, st on chromosome 3, linkage of 19:45
 er: location 18:39
 Isozymic locus, Aat-p, data for mapping of 19:76
 Linkage determinations for isozymic loci 15:54
 Linkage groups II and IV, located by BSG-staining 17:15
 Linkage of two chlorophyll mutal ions 16:10
 Linkage on chromosomes 3 and 5 15:47
 Linkage relations of genes af-i on chromosome 1 and curl-tl on
 chromosome 7 19:77
 Male sterility, genetics and cytology of 16:60
 Necrosis (nec): new gene on chromosome 5 17:68
 New gene, Mdh, for malate dehydrogenase 18:54
 New gene, det, and its linkages on chromosome 1 18:45
 Orange cotyledons, Orc, and orange leaves, orl, new genes on
 chromosome 1 19:66
 Production of 2n pollen and Linkage relations of α L6:59
 Rb may be located on chromosome 3 19:40
 Resistance to Fusarium wilt, genes for 19:41
 Resistance to PEMV, Adh-1 marker for 19:82
 Second gene arthritic (art.-2) on chromosome 5 17:70
 Sinuate leaf, sil, linked with Wsp 19:33
 Supplementary linkage data 18:70
 Tendrilled acacia, tac: an allele at the Uni lotus 18:49
 tac and apu, linkage relations 16:46
 Td, is it located on chromosome 3 or 4' 19: 38
 Wsp and isozyme locus Alat-p, linkage of 19:80

Chromosome structure

Chromosome maps revised 19:20
 Chromosome 7 in interphase 18:(>1
 Chromosome structure of L-108, Nilsson's N 11 15:33
 Hammarlund's K-line: new interpretation 18:34
 Interchange lines, C-banding in 18:64
 Linkage groups II and IV, located by BSG-staining 17:15
 Polyploids, artificial 18:32
 Seed proteins of chromosome mutants 16:68
 Sister chromatid exchange 19:86
 Tetraploids, cytology of 19:7
 Translocations identified by C-banding technique 17:81

Cross-overs

- Chromosome maps revised 19:20
 Chromosomes 1 and 5, supplemental linkage data for 16:49
 Costata gene, lum-2, on chromosome 3 19:70
 Hammarlund's K-line: new interpretation 18:34
 Interchange lines, C-banding in 18:64
 Isozymic locus, Aat-p, data for mapping of 19:76
 Linkage on chromosomes 3 and 5 15:47
 Orange cotyledons, Ore, and orange leaves, orl, new genes on
 chromosome 1 19:66
 Second gene arthritic (art-2) on chromosome 5 17:70
 Sister chromatid exchange 19:86

Disease resistance

- Ascochyta pisi race "C", inheritance of resistance to 16:6
 Ascochyta stem blight, enation mosaic, and red clover vein mosaic,
 resistance to 16:4
 Chromosome 3 and En, linkage relationships among markers 17:57
 Four new varieties 15:62
 Gene er: location elusive 18:39
 Germplasm and PSbMV in northern India, 1987 19:55
 HFP 4, a high yielding leafless strain 18:21
 Pea enation mosaic virus, en 15:3
 Pea research in Colombia 19:96
 Pea seedborne mosaic virus: an hypothesis of geographic origin 18:22
 Resistance to Fusarium wilt, genes for 19:41
 Resistance to PEMV, Adh-1 marker for 19:82
 'Sublima' 15:62
 Virus resistance genes 19:48

Diseases and disorders

- Chromosomes 1 and 5, supplemental linkage data for 16:49
 Germplasm and PSbMV in northern India, 1987 19:55
 Pea research in Colombia 19:96
 Seedborne mosaic virus: geographic origin of, an hypothesis 18:22
 Three-point linkage analysis involving Am-1-Af-i 15:43
 Virus resistance genes 19:48

DNA

- DNA binding proteins, rapid method to detect 17:24
 Histones and HMG-like proteins correlated with equivalent fractions
 of calf thymus 17:25

Dominance-recessiveness

- Bifurcated mutant 157 (Gottschalk), bif-2 17:84
 Gene pal and seed coat color 16:43
 Gibberellin and heterosis 18:59 (Errata 19:101)
 Isogenic lines, competitive ability of 16:35
 Isozymic locus, Aat-p, data for mapping of 19:76
 Leucine aminopeptidase (LAP-2) variability 17:86
 lol, new gene producing lobate leaflets 19:78
 New gene for dark purple testa, put 18:5
 New gene (Idh) coding isocitrate dehydrogenase linked with D on

chromosome 1	16:75
Orange cotyledons	15:9
Seed proteins of chromosome mutants	16:68
Segregation of mutant genes	16:13
Semidominant mutations	19:64
Td, is it located on chromosome 3 or 4?	19:38
Tendrilled acacia (tac): an allele at the Uni locus	18:49
Wsp and isozyme locus Alat-p, linkage of	19:80

Electrophoresis

Adh-1 and Gal-3 on chromosome 3, relative position of	17:75
Alcohol dehydrogenase expression	17:79
Beta-galactosidase isozymes in leaves, Gal-1, Gal-2, and Gal-3	17:76
Bifurcated mutant 157 (Gottschalk), bif-2	
Chromosome 3 and En, linkage relationships among markers in	17:57
Cotyledon color, proteins, isozymes, inheritance of	16:52
Electrophoresis to distinguish varieties	19:89
Electrophoretic analysis of seed amylases	15:60
Electrophoretic evidence of a specific seed albumin of fulvum	16:66
Electrophoretic mobility of seed amylases	19:50
Electrophoretic seed albumin patterns	15:51
Enzyme activities in seeds from field- and phytotron-cultivated plants	18:53
Histones and HMG-like proteins correlated with equivalent fractions of calf thymus	17:25
Isozymes of 6-phosphogluconate dehydrogenase	15:56
Isozyme variation at selected Loci	15:58
Leucine aminopeptidase (LAP-2) variability	17:86
Linkage determinations for isozymic loci	15:54
New gene, Mdh, for malate dehydrogenase	18:54
New gene (Idh) coding isocitrate dehydrogenase linked with D on chromosome I	16:75
Orange cotyledons, Ore, and orange leaves, orl, new genes on chromosome 1	19:66
Protein and enzyme patterns in seeds from field- and phytotron-cultivated plants	17:61
SDS-electrophoretic investigation of seed albumins	16:21
Seed albumins, SDS-electrophoresis of	17:4
Seed proteins of chromosome mutants	16:68
Seed storage proteins of mutants, genetic analysis of	17:63
Soluble auxin binding protein	17:22
Specific albumins, isolation of	16:29
Thylakoid membrane polypeptides from wild type and chlorophyll deficient mutants	17:66
Wsp and isozyme locus Alat-p, linkage of	19:80

Environmental factors

Combining ability of year and spacing	18:10
Cross fertilization under different ecological conditions	16:38
Enzyme activities in seeds from field- and phytotron-cultivated plants	18:53
Flowering behavior of line R142F	16:54
Flowering of 18 genotypes under 3 photoperiods	15:21
Gene dgl in recombinants	19:9

- Genes affecting symbiotic N fixation 16:31
 gp (yellow) and Gp (green) fruits, optical properties of 19:46
 Isogenic lines, competitive ability of 16:3.5
 Mutant nod-3, highly nodulating in presence of nitrate 16:23
 Natural cross fertilization under different ecological conditions (II)
 17:43
 Penetrance and seed production 16:19
 Photo- and thermo-susceptible chlorophyll mutants 18:16
 Photoperiodic reaction of recombinant R 142 F 15:24
 Production of 2n pollen and linkage relations of CC 16:59
 Protein and enzyme patterns in seeds from field- and phytotron-
 cultivated plants 17:61
 Seed production of 33 genotypes under continuous light 15:2.3
 Standard shape, new gene, 1st, for 19:84
 Stomatal behavior before and after flowering in argenteum mutant 15:13
 Stomata on pods of argenteum mutant 15:15
 Temperature and flowering behavior of early flowering genotypes 16:11
 Temperature and flowering of fasciated and bifurcated genotypes 17:20
 Three-point linkage analysis involving Am-1-Af-I 1.5:43
 Wilty mutant under water stress conditions 15:18
 Year and spacing affects combining ability 18:10

Enzymes

- Adh-1 and Gal-3 on chromosome 3, relative position of 17:75
 Alcohol dehydrogenase expression 17:79
 Beta-galactosidase isozymes in leaves, Gal-1, Gal-2, and Gal-3 17:76
 Bifurcated mutant 157 (Gottschalk), bif-2 17:84
 Chromosome 3 and En, linkage relationships among markers in 17:57
 Cotyledon color, proteins, isozymes, inheritance of 16:52
 Electrophoresis to distinguish varieties 19:89
 Electrophoretic analysis of seed amylases 15:00
 Electrophoretic mobility of seed amylases 19:50
 Enzyme activities in seeds from field- and phytotron-cultivated
 plants 18:53
 Genes affecting symbiotic N fixation 16:31
 Isozymes of 6-phosphogluconate dehydrogenase 15:56
 Isozyme variation at selected loci 15:58
 Isozymic locus, Aat-p, data for mapping of 19:76.
 Linkage determinations for isozymic loci 15:54
 New gene, Mdh, for malate dehydrogenase 18:54
 New gene (Idh) coding isocitrate dehydrogenase linked with D on
 chromosome 1 16:75
 N fixation, mutants defective in 19:17
 Nitrate reductase activity, af st and tl on 17:54
 Nitrate reduction localization 18:27
 Nodulation-defective mutants, new genes sym , sym , sym 18:33
 PEPC in developing wrinkled and round seeds 16:64
 Pod development 18:56
 Protein and enzyme patterns in seeds from field- and phytotron-
 cultivated plants 17:61
 Rb may be located on chromosome 3 19:40
 Resistance to PEMV, Adh-1 marker for 19:82
 Wsp and isozyme locus Alat-p, linkage of 19:80

Epistasis-hypostasis

- Gene pal and seed coat color 16:43
 New gene for dark purple testa, put 18:5
 Orange cotyledons, Ore, and orange leaves, orl, new genes on
 chromosome 1 19:66
 Plant stature of na and le la cry^c 15:45
 Tendrilled aeacia, tac,: an allele at the Uni locus 18:49
 Three-point linkage analysis involving Am-1-Af-I 15:43
 Yield components 15:11

Fasciation

- Bifurcated mutant 157 (Gottschalk), bif-2 17:84
 Flowering of fasciated recombinants in short days 18:17
 Gene dgl in recombinants 19:9
 Genes influencing penetrance of big-1 for stem bifurcation 15:26
 Genotype-dependent callus growth 16:27
 Locus identity test crosses for fasciata lines 15:38
 Mutation in autogamous plants with Low rates of cross fertilization
 16:41
 Penetrance and seed production 16:19
 Seed albumins, SDS-electrophoresis of 17:4
 Seed protein production 16:15; 18:3
 Temperature and flowering of fasciated and bifurcated genotypes 17:20

Flowering

- Allelism tests for some early flowering mutants 16:57
 Branching: effect of flowering and length genes 18:12
 Breeding early-maturing protein lines 19:12
 Determinate growth, del: new gene on chromosome 7 19:72
 Flowering behavior ol line R142F 16:54
 Flowering of 18 genotypes under 3 photoperiods 15:21
 Flowering in extremely short days 18:19
 Flowering of fasciated recombinants in short days 18:17
 Genes influencing penetrance of bif-1 for stem bifurcation 15:26
 Inheritance of growth rate and node development in a diallel cross
 16:8
 Morphological variation in plants regenerated from long-term callus
 culture of pea 17:8
 Penetrance and seed product ion 16:19
 Photoperiodic react ion ot recombinant R 142 F 15:24
 Stomatal behavior before and alter flowering in argenteum mutant 15:13
 Temperature and I lowering behavior of early flowering genotypes 16:11
 Temperature- and flowering of fasciated and bifurcated genotypes 17:20

Flowers

- Chromosomes 1 and 5, supplemental linkage data for 16:49
 Gene for flower doubling 17:19
 Pleiotropic effects and interactions of ar 17:56
 Standard shape, new gene, 1st, for 19:84
 Three-point linkage analysis involving Am-1-Af-I 15:43

Fruits

- Branching: effect of flowering and length genes 18:12

Combining ability: effect of year and spacing 18:10
 Gibberellin and heterosis 18:59 (Errata 19:101
 gp (yellow) and Gp (green) fruits, optical properties of 19:46
 Orange.pod: WT 10 263 15:48
 Photoenvironment within fruits of A Pu Pur and gp 15:49
 Pod development 18:56
 Stomata on pods of argenteum mutant 15:15

Fruit set

Male sterility and outcrossing 16:62

Gene banks

Cultivar database 17:90
 Geneva collection of genetic stocks 17:89

Genes

aero: linkage on chromosome 1 18:42
 Antibiotics-mutagenesis tests: new gene, lws 17:50
 Ascochyta pisi race "C", inheritance of resistance to 16:6
 Beta-galactosidase isozymes in leaves, Gal-1, Gal-2, and Gal-3
 Costata gene, lum-2, on chromosome 3 19:70
 Cultivar database 17:90
Dark green seedcoat color, dp 15:7
 Determinate growth, det, nxw gene on chromosome 7 19:72
 Gene for flower doubling 17:19
 Genes affecting symbiotic N fixation 16:31
 Gold necrosis, gn: new gene on chromosome 5
 Internode length: further mutation at la locus 19:52
 Linkage relation of genes af-i on chromosome 1 and curl-t1 on
 chromosome 7 19:77
 Identity and allelism of mutant genes 16:17
 lol, new gene producing lobate leaflets 1^c):78
 Maternally inherited gene for cyanide resistant respiration, arp
 Mutagenesis: combined treatment by Nf and NEU 17:72
 Mutant nod-3, highly nodulating in presence of nitrate 16:23
 Necrosis (nec): new gene on chromosome 5 17:68
 New gene, Mdh, for malate dehydrogenase 18:54
 New gene, det, and its linkages on chromosome 1 48:45
 New gene for dark purple testa, put 18:5
 New gene (Idh) coding isocitrate dehydrogenase linked with I) on
 chromosome 1 16:75
 N fixation, mutants defective in 19:17
 Nodulation-defective mutants: new genes synr, sym", sym
 18:33
 Nodulation in the presence of nitrate, nod-3 15:31
 Nodulation resistant mutants, selection of 16:25
 Obscuratum phenomenon 17:40
 Orange cotyledons, Orc, and orange leaves, orl: new genes on
 chromosome 1 19:66
 Orange cotyledons, Orc, a new gene for cotyledon color 16:70
 Penetrance and seed production 16:19
 Resistance to Fusarium wilt, genes for 19:41
 Second gene arthritic (art-2) on chromosome 5 17:70
 Swiecicki's papers too late for publication 18:48

Tendrilled acacia (tac): an allele at the Uni locus 18:49
 Virus resistance genes 19:48

Germplasm

Germplasm 16:83
 Germplasm and PSbMV in northern India, 1987 19:55
 Pea research in Colombia 19:96
 Stocks available 16:84; 18:69

Growth substances

Assay for genotype-dependent auxin-sensitivity with young seedlings
 1.7:27
 Gibberellin and heterosis 18:59 (Errata 19:101)
 Internode length: further mutation at la Locus 19:52
 Morphogenetic effects, auxin uptake and metabolish after root
 application of auxins 15:28
 Soluble auxin binding protein 17:22
 Soluble auxin-binding protein: correlation with internode length and
 callus formation 17:32
 Test system for shoot application of auxins combined with
 phospholipids 15:29

Habit

Alleles at the na locus in lines L81 and WL1766 16:55
 Branching: effect of flowering and length genes 18:12
 Chromosomes 1 and 5, supplemental linkage data for 16:49
 Determinate growth habit, det: isolation, symbolization, and linkage
 19:31
 HFP 4, a high yielding leafless strain 18:21
 Internode length: further mutation at la locus 19:52
 Morphological variation in plants regenerated from long-term callus
 culture of pea 17:8
 Plant stature of na and le la cry^c 15:45
 Polyploids, artificial 18:32
 Semidominant mutations 19:64

Herbicides

Test system for shoot application of auxins combined with
 phospholipids 15:29

Heterosis

Gibberellin and heterosis 18:59 (Errata 19:101)

Identity-allelism test

Alleles at the na locus in lines L81 and WL1766 16:55
 Allelism tests for some early flowering mutants 16:57
 Costata gene, lum-2, on chromosome 3 19:70
 Dark green seedcoat color, dp 15:7
 Determinate growth, det: new gene on chromosome 7 19:72
 Identity and allelism of mutant genes 16:17
 Locus identity test crosses for fasciata lines 15:38
 Gold necrosis, gn: new gene on chromosome 5 19:74 •
 Male sterility, genetics and cytology of 16:60
 Necrosis, nec: new gene on chromosome 5 17:68
 New gene for dark purple testa, put 18:5

- Nodulation-defective mutants: new genes sym7, sym8, sym9
18:33
- Orange cotyledons, Orc, and orange leaves, orl: new genes on
chromosome 1 19:66
- Production of 2N pollen and linkage relations of cc 16:59
- Second gene arthritic (art-2) on chromosome 5 17:70
- Tendrilled acacia (tac): an allele at the Uni locus 18:49

Insect resistance

- HFP 4, a high yielding leafless strain 18:21
- Pea research in Colombia 19:96

In vitro culture

- Genotype-dependent callus growth 16:27
- In vitro culture of explants from one seedling 17:13
- In vitro rooting of shoots 17:12
- In vitro rooting of two genotypes 19:4
- Morphological variation in plants regenerated from long-term callus
culture of pea 17:8
- Rooting in vitro and genotype 18:7 (Errata 19:10)
- Shoot forming capacity in callus culture 17:10
- Soluble auxin-binding protein: correlation with internode length and
callus formation 17:32
- Somatic embryogenesis 19:18
- Somatic embryos, induction of 17:38
- Tissue culture media for 9 varieties 19:93

Leaf

- Costata gene, lum-2, on chromosome 3 19:70

Leaves

- aero: linkage on chromosome 1 18:42
- Afila and acacia, model for early phyllomorphogenesis of 19:15
- Alcohol dehydrogenase expression 17:79
- Beta-galactosidase isozymes in leaves, Gal-1, Gal-2, and Gal-3 1
- Chlorophyll changes during ontogeny 17:65
- Chromosomes I and 5, supplemental linkage data for 16:49
- Costata gene, lum-2, on chromosome 3 19:70
- Electrophoresis to distinguish varieties 19:89
- Gene dgl in recombinants 19:9
- Genes influencing penetrance of bif-1 for stem bifurcation 15:26
- Gold necrosis, gn: new gene on chromosome 5 19:74
- HFP 4 a high yielding leafless strain 18:21
- Isogenic lines, competitive ability of 16:35
- Isozymes of 6-phosphogluconate dehydrogenase 15:56
- Linkage relations of genes af-i on chromosome 1 and curl-tl on
chromosome 7 19:77
- lol, new gene producing lobate leaflets 19:78
- Model of phyllomorphogenesis 19:25
- Morphogenesis, leaf genotypes as models for 18:67
- Morphological variation in plants regenerated from long-term callus
culture of pea 17:8
- Mutation in autogamous plants with low rates of cross fertilization
16:41 (Errata 17:42)

Necrosis (nec): new gene on chromosome 5 17:68
 Nitrate reduction localization 18:27
 Orange cotyledons, Orc, and orange leaves, orl: new genes on
 chromosome I 19:66
 Orange pod: WT 10 263 15:48
 Stomatal behavior before and after flowering in argenteum mutant 15:13
 st on non-stipular parts of leaf 17:6
 tac and apu, linkage relations 16:46
 Td, is it located on chromosome 3 or 4? 19:38
 Three-point linkage analysis involving Am-1-Af-I 15:43
 Wilty mutant under water stress conditions 15:18
 Wsp and isozyme locus Alat-p, linkage of 19:80

Lethality

Segregation of mutant genes 16:13

Linkage

Adh-1 and Gal-3 on Chromosome 3, relative position of 17:75
 aero: linkage on chromosome 1 18:42
 Allelism tests for some early flowering mutants 16:57
 Chromosome maps revised 19:20
 Chromosome 5, revised linkage map of 17:14
 Chromosome structure of L-108, Nilsson's N 11 15:33
 Chromosome 3 and En, linkage relationships among markers in 17:57
 (chromosomes 1 and 5, supplemental linkage data for 16:49
 Chromosomes 1 and 7: supplementary linkage data 19:35
 Costata gene, lum-2, on chromosome 3 19:70
 Determinate growth, det: new gene on chromosome 7 19:72
 Determinate growth habit, det: isolation, symbolization, and linkage
 19: 31
 dne, b, st on chromosome 3, linkage of 19:45
 Gene er: location elusive 18:39
 Genes affecting symbiotic N fixation 16:31
 Cold necrosis, gn: new gene on chromosome 5 19:74
 Hammarlund's K-line, a new interpretation 18:34
 Isozyme variation at selected loci 15:58
 Isozymic locus, Aat-p, data for mapping of 19:76
 Linkage determinations for isozymic loci 15:54
 Linkage groups 11 and IV, located by BSG-staining 17:15
 Linkage of two chlorophyll mutations 16:10
 Linkage on chromosomes 3 and 5 15:47
 Linkage relations of genes af-i on chromosome 1 and curl-t1 on
 chromosome 7 19:77
 lol, new gene producing lobate leaflets 19:78
 Male sterility, genetics and cytology of 16:60
 Necrosis (nee): new gene on chromosome 5 17:68
 New gene, Mdh, for malate dehydrogenase 18:54
 New gene, det, and its linkages on chromosome 1 18:45
 New gene, Idh, coding isocitrate dehydrogenase linked with D on
 chromosome 1 16:75
 Orange cotyledons, Orc, and orange leaves, orl: new gene's on
 chromosome 1 19:66
 Production of 2N pollen and linkage relations of cc 16:59
 Rb may be located on chromosome 3 19:40

Resistance to Fusarium wilt, genes for	19:41
Second gene arthritic (art-2) on chromosome 5	17:70
Sinuate leaf, sil, linked with Wsp	19:33
Supplementary linkage data	18:70
Swiecicki's papers too late for publication	18:48
tac and apu, linkage relations	16:46
Td, is it located on chromosome 3 or 4?	19:38
Tendrilled acacia (tac): an allele at the Uni locus	18:49
Three-point linkage analysis involving Am-1-Af-I	15:43
Virus resistance genes	19:48
Wsp and isozyme locus Alat-p, linkage of	19:80
Yield components	15:11

Lodging

Breeding early-maturing protein lines	19:12
---------------------------------------	-------

Marker lines

Linkage of two chlorophyll mutations	16:10
Linkage on chromosomes 3 and 5	15:47
Linkage relations of genes af-i on chromosome 1 and curl-t1 on chromosome 7	19:77
lol, new gene producing lobate leaflets	19:78
Male sterility and outcrossing	16:62
Mutation in autogamous plants with low rates of cross fertilization	16:41 (Errata 17:42)
Plant stature of na and le la cry ^c	15:45
Resistance to PEMV, Adh-1 marker for	19:82

Maturation and maturity

Breeding early-maturing protein lines	19:12
Pod development	18:56

Meetings

16th Stadler Genetics Symposium, March 19, 1984	15:63
---	-------

Meiosis

Chromosome maps revised	19:20
Male sterility, genetics and cytology of	16:60
Polyploids, artificial	18:32
Production of 2n pollen and linkage relations of cc •	16:59
Segregation of mutant genes	16:13
Tetraploids, cytology of	19:7

Mitosis

Chromosome maps revised	19:20
Chromosome 7 in interphase	18:61
Interchange lines, C-banding in	18:64
Sister chromatid exchange	19:86
Tetraploids, cytology of	19:7

Multi-marker lines

Chromosome 3 and En, linkage relationships among markers in	17:57
Chromosomes 1 and 7: supplemental linkage data	19:35
Costata gene, lum-2, on chromosome 3	19:70

- Determinate growth, det: new gene on chromosome 7 19:72
 Gene er: location elusive 18:39
 Gene pal and seed coat color 16:43
 Gold necrosis, gn: new gene on chromosome 5 19:74
 Isozymic locus, Aat-p, data for mapping of 19:76
 Linkage determinations for isozymic loci 15:54
 New gene, det, and its linkages on chromosome 1 18:45
 •New gene, Mdh, for malate dehydrogenase 18:54
 Orange cotyledons, Orc, and orange leaves, orl: new genes on chromosome 1 19:66
 Pleiotropic effects and interactions of ar 17:56
 Production of 2n pollen and linkage relations of cc 16:59
 Rb may be located on chromosome 3 19:40
 Resistance to Fusarium wilt, genes for 19:41
 Sinuate leaf, sil, linked with Wsp 19:33
 Td, is it located on chromosome 3 or 4⁷ 19:38

Multiple alleles

- Locus identity test crosses for fasciata lines 15:38

Mutagenesis

- Antibiotics-mutagenesis tests: new gene, Lws 17:50
 Costata gene, lum-2, on chromosome 3 19:70
 Determinate growth, det: new gene on chromosome 7 19:72
 Gold necrosis, gn: new gene on chromosome 5 19:74
 Mutagenesis: combined treatment by NF and NEU 17:72
 Mutation in autogamous plants with low rates of cross fertilization 16:41
 Necrosis (nec): new gene on chromosome 5 17:68
 N fixation, mutants defective in 19:17
 Nitrogen fixation mutants, induction of 17:7
 Nodulation-defective mutants: new genes sym7, sym8, sym9, 18:33
 Nodulation in the presence of nitrate, nod-3 15:31
 Second gene arthritic (art-2) on chromosome 5 17:70
 Semidominant mutations 19:64
 Stocks available 16:84

Mutants

- Antibiotics-mutagenesis tests: new gene, Lws 17:50
 Bifurcated mutant 157 (Gottschalk), bif-2 17:84
 Chlorophyll changes during ontogeny 17:65
 Chlorophyll mutant, low penetrance and varying expressivity 19:28
 Chlorophyll mutants: absorption spectra 19:61
 Costata gene, lum-2, on chromosome 3 19:70
 Determinate growth, det: new gene on chromosome 7 19:72
 Enzyme activities in seeds from field and phytotron-cultivated plants 18:53
 Flowering of fasciated recombinants in short days 18:17
 Flowering in extremely short days 18:19
 Genes affecting symbiotic N fixation 16:31
 Genotype-dependent callus growth 16:27
 Gibberellin and heterosis 18:59 (Errata 19:101)
 Gold necrosis, gn: new gene on chromosome 5 19:74

Identity and allelism of mutant genes 16:17
 Internode length: further mutation at la locus 19:52
 Linkage of two chlorophyll mutations 16:10
 Linkage relations of genes af-i on chromosome 1 and curl-t1 on
 chromosome 7 19:77
 lol, a new gene producing lobata leaflets 19:78
 Mutagenesis: combined treatment by Nf and NEU 17:72
 Necrosis (nee): new gene on chromosome 5 17:68
 New gene for dark purple testa, put 18:5
 Nodulation-defective mutants: new genes sym7, sym8, sym9,
 18:33
 Nodulation resistant mutants, selection of 16:25
 Penetrance and seed production 16:19
 Photo- and thermo-susceptible chlorophyll mutants 18:16
 Production of 2n pollen and linkage relations of cc 16:59
 Root and shoot differences of highly nodulating mutant nod-3 and
 its parent variety 'Rondo' 17:30
 Second gene arthritic (art-2) on chromosome 5 17:70
 Seed albumins, SDS-electrophoresis of 17:4
 Seed protein production 16:15; 18:3
 Seed storage proteins of mutants, genetic analysis of 17:63
 Segregation of mutant genes 16:13
 Semidominant mutations 19:64
 Somatic embryos, induction of 17:38
 Stocks available 16:84
 tac and apu, linkage relations 16:46
 Thylakoid membrane polypeptides from wild type and chlorophyll
 deficient mutants 17:66

New varieties

Five new varieties licensed In Canada 19:100
 Four new varieties 15:62
 HFP 4, a high yielding leafless strain 18:21
 New cultivars - dry peas 17:64
 New dry pea varieties 19:100
 New garden pea cultivars 16:83
 New varieties from Poland 17:94
 'Polar' - new garden pea variety 17:94
 'Sublima' 15:62

Nodes and internodes

Alleles at the na locus In Line L81 and WL1766 16:55
 Branching: effect of f lowering and length genes 18:12
 Determinate growth, det: new gene on chromosome 7 19:72
 Flowering in extremely short days 18:19
 Gene dgl in recombinants 19:9
 Genes influencing penetrance of bif-1 for stem bifurcation 15:26
 Inheritance of growth rate and node development in a diallel cross
 16:8
 Internode length: art 19:59
 Internode length: further mutation at la locus 19:52
 Root and shoot differences of highly nodulating mutant nod-3 and
 its parent variety 'Rondo' 17:30
 Root/shoot interactions of genotypes 17:34

Soluble auxin-binding protein: correlation with internode length and callus formation 17:32
 Temperature and-flowering of fasciated and bifurcated genotypes 17:20

Nodules and nodulation

Genes affecting symbiotic N fixation 16:31
 Lateral root initiation in Rhizobium-inoculated seedlings of *P. fulvum* 18:37
 Mutant nod-3, highly nodulating in presence of nitrate 16:23
 N fixation, mutants defective in 19:17
 Nitrogen fixation mutants, induction of 17:7
 Nodulation capacity 18:30
 Nodulation-defective mutants: new genes sym7, sym8, sym9, 18:33
 Nodulation in the presence of nitrate, nod-3 15:31
 Nodulation resistant mutants, selection of 16:25
 Root and shoot differences of highly nodulating mutant nod-3 and its parent variety 'Rondo' 17:30

Pea industry

Dry pea production in Canada 19:97
 Dry pea production in the U.S. 16:77
 Pea research in Colombia 19:96

Penetrance

Bifurcated mutant 157 (Gottschalk), bif-2 17:84
 Chlorophyll mutant, low penetrance and varying expressivity 19:28
 Gene dgl in recombinants 19:9
 Genes influencing penetrance of bif-1 for stem bifurcation 15:26
 Genotype-dependent callus growth 16:27
 Identity and allelism of mutant genes 16:17
 Penetrance and seed production 16:19
 Photo- and thermo-susceptible chlorophyll mutants 18:16
 Temperature and flowering behavior of early flowering genotypes 16:11
 Temperature and flowering of fasciated and bifurcated genotypes 17:20

Photoperiodism

Allelism tests for some early flowering mutants 16:57
 Branching: effect of flowering and length genes 18:12
 Flowering behavior of line R142F 16:54
 Flowering in extremely short days 18:19
 Flowering of fasciated recombinants in short days 18:17
 Protein and enzyme patterns in seeds from field- and phytotron-cultivated plants 17:61

Photosynthesis

gp (yellow) and Gp (green) fruits, optical properties of 19:46
 Photoenvironment within fruits of A Pu Pur and gp 15:49

Pigments

Carotenoid and provitamin A of seeds with orange vs yellow cotyledons 15:41
 Carotenoid composition and provitamin A values of F2 seeds from the cross Wt 3527 (orc) x Wt 11145 (Orc) 17:51

- Chromosomes 1 and 5, supplemental linkage data for 16:49
 Cotyledon color, proteins, isozymes, inheritance of 16:52
 Dark green seedcoat color, dp 15:7
 Gene pal and seed coat color 16:43
 Natural cross fertilization under different ecological conditions (II)
 17:43
 New gene for dark purple testa, put 18:5
 Obscuratum phenomenon 17:40
 Orange cotyledons 15:9
 Orange cotyledons, Orc, and orange leaves, orl: new genes on
 chromosome 1 19:66
 Orange cotyledons, Orc, new gene for cotyledon color 16:70
 Orange pod: WT 10 263 15:48
 Photo- and thermo-susceptible chlorophyll mutants 18:16
 Photoenvironment within fruits of A Pu Pur and gp 15:49
 Pleiotropic effects and interactions of ar 17:56
 Pod development 18:56
 Three-point linkage analysis involving Am-1-Af-I 15:43

Pleiotropy

- New gene, Mdh, for malate dehydrogenase 18:54
 Pleiotropic effects and interactions of ar 17:56
 Root and shoot differences of highly nodulating mutant nod-3 and
 its parent variety 'Rondo' 17:30
 Td, is it located on chromosome 3 or 4? 19:38
 Three-point linkage analysis involving Am-1-Af-I 15:43
 st on non-stipular parts of leaf 17:6

Pollen and pollination

- Cross fertilization 15:40
 Cross fertilization under different ecological conditions 16:38
 Isozymes of 6-phosphogluconate dehydrogenase 15:56
 Male sterility and outcrossing 16:62
 Male sterility, genetics and cytology of 16:60
 Mutation in autogamous plants with low rates of cross fertilization
 16:41 (Errata 17:42)
 Natural cross fertilization under different ecological conditions (II)
 17:43
 Nectaries and insect visitors 17:47
 Polyploids, artificial 18:32
 Production of 2n pollen and linkage relations of cc 16:59
 Segregation of mutant genes 16:13

Polymorphism

- Alcohol dehydrogenase expression 17:79
 Beta-galactosidase isozymes in leaves, Gal-1, Gal-2, and Gal-3 17:76
 Leucine aminopeptidase (LAP-2) variability 17:86

Polyploidy

- Chromosome structure of L-108, Nilsson's II 15:33
 Hammerlund's K-line, a new interpretation 18:34
 Polyploids, artificial 18:32
 Production of 2n pollen and linkage relations of cc 16:59
 Tetraploids, cytology of 19:7

Proteins

- Bifurcated mutant 157 (Gottschaik), bif-2 17:84
- Breeding early-maturing protein lines 19:12
- Cotyledon color, proteins, isozymes, inheritance of 16:52
- DNA binding proteins, rapid method to detect 17:24
- Dry pea production in Canada 19:97
- Electrophoretic evidence of a specific seed albumin of *P. fulvum* 16:66
- Electrophoretic seed albumin patterns 15:51
- Enzyme activities in seeds from field and phytotron-cultivated plants 18:53
- Histones and HMG-like proteins correlated with equivalent fractions of calf thymus 17:25
- Protein and enzyme patterns in seeds from field- and phytotron-cultivated plants 17:61
- Screening for sulfur containing amino acids in seeds 17:36
- SDS-electrophoretic investigation of seed albumins 16:21
- Seed albumins, SDS-electrophoresis of 17:4
- Seed protein production 16:15; 18:3
- Seed proteins of chromosome mutants 16:68
- Seed storage proteins of mutants, genetic analysis of 17:63
- Soluble auxin binding protein 17:22
- Soluble auxin-binding protein: correlation with internode length and callus formation 17:32
- Specific albumins, isolation of 16:29
- Thylakoid membrane polypeptides from wild type and chlorophyll deficient mutants 17:66
- Vacuolar origin of protein bodies in parenchyma cells in cotyledons during seed development 17:17

Recombination

- Assay for genotype-dependent auxin-sensitivity with young seedlings 17:27
- Enzyme activities in seeds from field and phytotron-cultivated plants 18:53
- Flowering in extremely short days 18:19
- Flowering of 18 genotypes under 3 photoperiods 15:21
- Flowering of fasciated recombinants in short days 18:17
- Gene *dgl* in recombinants 19:9
- Genotype-dependent callus growth 16:27
- Genes influencing penetrance of *bif-1* for stem bifurcation 15:26
- Genes affecting symbiotic N fixation 16:31
- Identity and allelism of mutant genes 16:17
- Linkage determinations for isozymic loci 15:54
- Mutant *nod-3*, highly nodulating in presence of nitrate 16:23
- Mutation in autogamous plants with low rates of cross fertilization 16:41 (Errata 17:42)
- Penetrance and seed production 16:19
- Photoperiodic reaction of recombinant R 142 F 15:24
- Seed albumins, SDS-electrophoresis of 17:4
- Seed production of 33 genotypes under continuous light 15:23
- Seed protein production 16:15; 18:3
- Soluble auxin-binding protein: correlation with internode length and

- callus formation 17:32
 Temperature and flowering behavior of early flowering genotypes 16:1.1
 Temperature and flowering of fasciated and bifurcated genotypes 17:20
- Roots and rooting
- Alcohol dehydrogenase expression 17:79
 In vitro rooting of shoots 17:12
 In vitro rooting of two genotypes 19:4
 Lateral root initiation in Rhizobium-inoculated seedlings of *P. fulvum* 18:37
 Mutant nod-3, highly nodulating in presence of nitrate 16:23
 Nitrate reduction, localization of 18:27
 Nodulation capacity 18:30
 Root and shoot differences of highly nodulating mutant nod-3 and its parent variety 'Rondo' 17:30
 Rooting in vitro and genotype 18:7 (Errata 19:101)
 Root/shoot interactions of genotypes 17:34
 Roots, preliminary studies of 16:73
 Sister chromatid exchange 19:86
- Seeds and seed germination
- Alcohol dehydrogenase expression 17:79
 Bifurcated mutant 157 (Gottschaik), bif-2 17:84
 Breeding early-maturing protein lines 19:12
 Carotenoid and provitamin A of seeds with orange vs yellow cotyledons 15:41
 Carotenoid composition and provitamin A values of F2 seeds from the cross Wt 3527 (orc) x Wt LU45 (Orc) 17:51
 Chromosomes 1 and 5, supplemental linkage data for 16:49
 Combining ability: effect of year and spacing 18:10
 Cotyledon color, proteins, isozymes, inheritance of 16:52
 Cross fertilization under different ecological conditions 16:38
 Dark green seedcoat color, dp 15:7
 Electrophoresis to distinguish varieties 19:89
 Electrophoretic evidence of a specific seed albumin of *P. fulvum* 16:66
 Electrophoretic mobility of seed amylases 19:50
 Electrophoretic seed albumin patterns 15:51
 Enzyme activities in seeds from field and phytotron-cultivated plants 18:53
 Gene dgl in recombinants 19:9
 Gene pal and seed coat color 16:43
 Genes influencing penetrance of bif-1 for stem bifurcation 15:26
 Gibberellin and heterosis 18:59 (Errata 19:101)
 Isogenic lines, competitive ability of 16:35
 Lateral root initiation in rhizobium-inoculated seedlings of *P. fulvum* 18:37
 Natural cross fertilization under different ecological conditions (II) 17:43
 New gene for dark purple testa, put 18:5
 Obscuratum phenomenon 17:40
 Orange cotyledons 15:9
 Orange cotyledons, Orc, and orange leaves, orl: new genes on chromosome 1 19:66

- Orange cotyledons, *Orc*, new gene for cotyledon color 16:70
 Penetrance and seed production 16:19
 PEPc in developing wrinkled and round seeds 16:64
 Pleiotropic effects and interactions of *ar* 17:56
 Protein and enzyme patterns in seeds from field- and phytotron-
 cultivated plants 17:61
 Rb may be located on chromosome 3 19:40
 Resistance to PEMV, *Adh-1* marker for 19:82
 Screening for sulfur containing amino acids in seeds 17:36
 SDS-electrophoretic investigation of seed albumins 16:21
 Seed albumins, SDS-electrophoresis of 17:4
 Seed protein production 16:15
 Seed storage proteins of chromosome mutants 16:68
 Seed storage proteins of mutants, genetic analysis of 17:63
 Specific albumins, isolation of 16:29
 Three-point linkage analysis involving *Am-1-Af-I* 15:43
 Vacuolar origin of protein bodies in parenchyma cells in cotyledons
 during seed development 17:17

Selection methods

- Mutation in autogamous plants with low rates of cross fertilization
 16:41 (Errata 17:42)
 Nodulation resistant mutants, selection of 16:25

Societies

- Fifth International Lupine Conference 19:102
 International Food Legume Research Conference on Pea, Lentil, Faba bean,
 and Chickpea 17:inside back cover
 Second International Legume Conference on the Biology of the Leguminosae
 17:inside back cover

Sterility-fertility

- Gene for flower doubling 17:19
 Hammarlund's K-line, a new interpretation 18:34
 Male sterility and outcrossing 16:62
 Male sterility, genetics and cytology of 16:60
 Pleiotropic effects and interactions of *ar* 17:56
 Polyploids, artificial 18:32
 Production of 2n pollen and linkage relations of *cc* 16:59
 Tendrilled acacia (*tac*): an allele at the *Uni* locus 18:49

Taxa

- Electrophoretic analysis of seed amylases 15:60
 Electrophoretic evidence of a specific seed albumin of *P. fulvum*
 16:66
 Electrophoretic seed albumin patterns 15:51
 Isozyme variation at selected loci 15:58
 Lateral root initiation in *Rhizobium*-inoculated seedlings of *P. fulvum*
 18:37
 Leucine aminopeptidase (*LAP-2*) variability 17:86 .
 Natural cross fertilization under different ecological conditions (11)
 17:43
 Rooting in vitro and genotype 18:7 (Errata 19:101)
 SDS-electrophoretic investigation of seed albumins 16:21

Somatic embryos, induction of	17:38
Specific albumins, isolation of	16:29
Td, is it located on chromosome 3 or 4?	19:38
Tetraploids, cytology of	19:7

Varieties

Dry pea production in Canada	19:97
Electrophoresis to distinguish varieties	19:89
Germplasm and PSbMV in Northern India, 1987	19:55
Tissue culture media for 9 varieties	19:93

Vegetative propagation

Somatic embryogenesis	19:18
-----------------------	-------

Wax and waxiness

Genotype-dependent callus growth	16:27
Genes influencing penetrance of bif-1 for stem bifurcation	15:26
Identity and allelism of mutant genes	16:17
Morphological variation in plants regenerated from long-term callus culture of pea	17:8
Penetrance and seed production	16:19
tac and apu, linkage relations	16:46
Temperature and flowering behavior of early flowering genotypes	16
Temperature and flowering of fasciated and bifurcated genotypes	17

Yield

Branching: effect of flowering and length genes	18:12
Breeding early-maturing protein lines	19:12
Combining ability: effect of year and spacing	18:10
Dry pea production in Canada	19:97
Flowering of fasciated recombinants in short days	18:17
Genes influencing penetrance of bif-1 for stem bifurcation	15:26
Hfp4, a high yielding leafless strain	18:21
Isogenic lines, competitive ability of	16:35
Pea research in Colombia	19:96
Penetrance and seed production	16:19
Photoperiodic reaction of recombinant R 142 F	15:24
Seedborne mosaic virus, geographic origin of	18:22
Seed production of 33 genotypes under continuous light	15:23
Seed protein production	16:15; 18:3
Semidominant mutations	19:64
st on non-stipular parts of leaf	17:6
Yield components	15:11

AUTHORS

Abou-Salha, A.	15:26; 16:19; 17:4; 18:3
Adamo, F.	19:4
Auld, D. L.	18:5; 19:93
Baggett, J. R.	15:3; 16:4
Bagrova, A. M.	17:8, 10
Baumunk-Wende, E.	15:7, 62
Bland, M.	18:5
Blixt, S.	15:9, 51; 16:66, 70; 19:50
Boylen, L.	15:48
Breen, F. N.	17:90
Cardi, T	17:6; 18:7; 19:4
Conicella, C.	19:7
Crock, J. C.	18:5
Csizmadia	15:11; 16:6,8; 18:10
Dial, M. J.	18:5
Donkin, M. E.	15:13, 15, 18; 19:46
Drozd, A. M.	19:31
Engvild, K. C.	17:7
Errico, A.	19:7
Ezhova, T. A.	16,10; 17:8, 10
Filippone, E.	17:12, 13; 18:7; 19:4
Folkesson, D.	17:14, 15
Floyd, R. S.	18:12
Frusciante, L.	17:54
Gaul, E.	17:17
George, J.	19:50
Girard, E.	19:96
Gostinski, S. A.	16:10; 17:8, 10
Gottschalk, W.	15:21, 23, 24, 26; 16:11, 13, 15, 17, 19; . 17:19, 20; 18:12, 16, 19; 19:9
Grillo, S.	16:21, 68; 17:63
Gritton, E. T.	16:59, 60, 62, 73
Groom, K.	16:57
Gupta, K. R.	18:21
Hajek, K.	17:22
Hampton, R. O.	15:3; 18:22; 19:55
Hayward, .I.E.	15:49; 18:56
Henschke, R.	17:24
Herlt, M.	17:25
Hovinen, S.	19:12
Hull, A.	19:46
Hull, T.	15:13, 15, 18
Ingensiep, H. W.	15:28, 29; 17:27; 18:67; 19:15, 25

- Jacobsen, E. 15:31; 16:23, 25; 17:30
Jacobsen, H.-J. 16:27, 17:32; 19:18
Jakubek, M. 16:29
Jensen, E. 'S. 18:27
Jensen, F. H. 17:34; 18:30
- Kasperek, G. 18:32
Kneen, B. E. 16:31; 18:33; 19:17
Kozubek, E. 15:51; 16:66
Kraft, J. M. 16:83; 18:69
Krzakowa, M. 17:86
Kurasz, I. 17:36
Kysely, W. 17:38; 19:18
- Lamm, R. L. 15:33; 18:34; 19:20
LaRue, T. A. 16:31; 18:33; 19:17
Leone, A. 16:35; 17:54
Lenz, J. 19:15; 19:25
Loennig, W.-E. 15:36, 38, 40; 16:38, 41; 17:40, 43, 47, 50;
19:28
- LeTourneau, D. J. 19:93
Lobo, M. 19:96
Lommen, W. J. M. 18:37
Ludwicki, J. 15:42; 17:51
- Makasheva, R. Kh. 19:31
Marano, B. 17:54
Martin, E. S. 15:13, 15, 18
Marx, G. A. 15:43, 45, 47, 54, 62; 16:43, 46, 49, 75;
17:56, 57, 75, 89; 18:39, 42, 45, 49, 70;
19:33, 35, 38, 40
- Mclnnis, P. 17:89
Mogno, M. R. 17:63
Monti, L. M. 17:6
Moy, S. 15:48
Muehlbauer, F. J. 16:77; 19:41
Muller, H. P. 16:52; 17:61; 18:53
Murfet, I. C. 16:54, 55, 57; 18:12; 19:45, '59, 99
Musgrave, M. E. 19:99
Myers/ J. R. 16:59, 60, 62
- Neumann, A. 19:86
Nijdam, H. 15:31
Nozzolillo, C. 15:48
Nucken, E. 17:24
- Pagowska, E. 17:75, 79; 18:54
Pedzinski, M. 16:83; 17:94
Price, D. N. 15:15, 49; 16:64; 18:56; 19:46
Providenti, R. 17:57; 19:48, 82
Przybylska, J. 15:15, 60; 16:66; 19:50
- Rao, R. 16:21, 68; 17:63

Rapp, R.	19:86
Reid, J. B.	19:52
Rishi, N.	19:55
Rothwell, R. N.	19:59
Salha, A. A.	16:27
Schmitz, R.	17:65; 19:61
Schuil, A.	17:30
Schwarz, H. P.	17:66
Sideow, J. N.	19:99
Sidorova, K. K.	18:59; 19:64
Slinkard, A. E.	19:97
Smith, C.	15:15
Smith, C. M.	15:49
Stencel, M.	17:36
Swiecicki, W.	19:100
Swiecicki, W. K.	15:9, 41; 16:70; 17:51, 68, 70, 72, 86; 19:66, 70, 72, 74, 76, 89, 100
Taffs, J. B.	16:64
Thil l , l). C.	19:93
Trifu, I.	19:77, 78
Uzhintseva, L. P.	19:64
Veitenheimer, E. E.	1.6:73
Wang, f.	15:18
Weeden, N. K.	15:54, 56, 58; 16:31, 75; 17:57, 75, 76; 18:54; 19:80, 82
Winfield, P. J.	17:90; 19:84
Włodarczyk, A.	17:94
Wolff, G.	17:81, 84; 18:61, 64; 19:86
Wolko, B.	17:36, 86; 19:76, 89
Yenne, S. P.	19:93
Zimniak-Przybylska, ..	15:51, 60; 19:50, 89

GENES

A-a	15:9, 43, 49, 54; 16:13, 31, 43, 49, 59; 17:40, 56, 57; 18:5, 39, 48, 54, 56; 19:35, 38, 66, 76, 80
Aat-c-aat-c	17:57
Aat-m-aat-m	19:80
Aat-p-aat-p	18:54; 19:76
Aat-p-Art-pl	18:48
Ac-ac	19:15
Acp-1-acp-1	19:80
Acp-3-acp-3	17:57, 75
Adh-1-adh-1	17:57, 75; 19:82
ADH-1-Adh-1	17:79
ADH-2-Adh-2	17:79
ADH-laa	17:79
ADH-lbb	17:79
Aero-aero	18:42, 19:35
Af-af	15:43; 16:35, 41, 46, 49, 61; 17:6, 11, 43, 54, 68; 18:7, 27, 42, 49, 67, 69; 19:4, 12, 15; 19:35, 77, 89
Alat-p-alat-p	19:80
Alt-alt	18:16
Am-1-am-1	15:43; 16:49; 17:56
Am-2-am-2	15:43, 54; 17:56
Apu-apu	16:46; 17:57; 18:39, 49; 19:40
Ar-ar	17:56
Arg-arg	15:13, 15; 18:7, 42
arp+-arp~	19:99
Art-art	17:70; 19:59
Art-1-art-1	17:70
Art-2-art-2	17:70, 74
Au-au	19:35
B-b	15:47, 54; 16:43, 61; 17:56, 57, 75, 87; 18:39, 49; 19:20, 38, 40, 45, 66, 70; 19:80
Bif-1-bif-1	15:26; 16:11, 15, 17, 19, 27; 17:4, 20; 18:3
Bif-2-bif-2	16:19; 17:20, 84
Bt-bt	18:45; 19:33, 35, 80
Bulf-bulf	17:57; 18:39
Ca-ca	16:43
Cal-cal	16:43
Cat-cat	16:43
Cc-cc	16:59
Ce-ce	16:49; 17:14; 18:34
Chi-chi	16:10; 17:8
Chi-6-chi-6	17:57; 18:39
Coch-coch	16:59; 18:67; 19:40
Cov-cov	15:55; 16:49
Cp-cp	17:14; 18:34; 19:74
Cp-1-cp-1	17:68
Cr-cr	15:47; 16:49, 61
Creep-creep	16:49
Cri-cri	18:34
Cry-cry	15:45; 17:56; 18:12; 19:52

Cry ^c -cry ^c	15:45; 18:13; 19:52
Cry ^S -cry ^S	15:45; 18:13; 19:52
Curl-curl	18:45; 19:33, 35, 77
Cyv-cyv	19:48
Cyv-2-cyv-2	19:48
D-d	15:54; 16:75; 18:34, 54; 19:66, 80
D ^w -d ^{oo}	19:38
Dem-dem	16:43
Den-den	16:43
Det-det	18:45, 48 ; 19:31, 35, 72
Dgl-dgl	15:24; 16:13; 17:68; 19:9, 74
Dim-dim	17:4
Dim-1-dim-1	15:26; 17:20
Disp-disp	16:43
Dne-dne	16:54, 57; 18:12; 19:45
Dp-dp	15:7
E-e	15:11; 16:57; 18:13
Efr-efr	15:26; 16:17, 19, 27; 18:19
En-en	15:3, 54; 17:57; 19:48, 82
Er-er	15:54; 18:39
Er-2-er-2	18:39
Est-3-est-3	18:54
Est-4-est-4	19:80
F-f	15:54; 16:43; 17:40; 18:5; 19:80
Fa-fa	15:38; 16:41; 17:42, 43; 19:41, 89
Fa-2-fa-2	15:38
Fas-las	15:38; 16:43; 18:7
Fis-fis	15:24
Fl-fl	18:42
Fnw-fnw	19:41
Fs-fs	15:47, 55; 16:43, 49; 17:14, 40; 18:5, 34; 19:20
Fw-fw	19:41
"Fwf"- "fwf"	19:41
Gal-1-gal-1	17:76
Gal-2-gal-2	17:76
Gal S-gal-3	17:57, 75, 76
Gbp-gbp	19:9
G1-gl	18:39
Gla-gla	15:7
Gn-gn	19:74
Got -1-got -1	19:76, 90
Goi 2 got -2	19:90
Gp-gp	15:47, 49, 55; 16:10, 49, 61; 17:14, 68, 70; 18:34, 56; 19:20, 46, 74, 77, 78, 80
Gr i -gri	16:43
Gt.y-gty	18:39
H-h	15:55
Hr-hr	16:54, 57; 18:12
I-i	15:9, 40, 43, 54; 16:38, 49, 59, 61, 70; 17:11, 51; 18:42, 49, 54; 19:35, 66, 77
Idh-idh	16:31, 75; 18:54; 19:66
ll-il	17:8
Ins-ins	16:43

Ion-ion	17:4
Ipc-ipc	16:15
K-k	15:54; 16:43; 19:66
L-l	19:78
La-la	15:45; 18:12; 19:52
La"(190)"- _{1a} -(R90)"	19:53
Lap-1-lap-1	15:54; 17:75, 87; 19:82, 89
Lap-2-lap-2	17:57, 75, 87; 19:70, 89
Le_le	15:54; 16:43, 59, 61, 62; 17:56; 18:12; 19:20, 41, 52, 59, 70, 77, 78, 80
Lff	16:57 18:39; 19:76
L ^a f ^a	16:57
Lf ^d -lf ^d	16:54; 18:12
Lh-lh	19:52, 59
Lk-lk	18:13; 19:52
Lm-lm	19:52
Lob-lob	16:43
Lol-lol	19:78
Lr-lr	19:48
Ls-ls	18:13; 19:52
Lst-lst	19:84
Lum-lum	19:41
Lum-1-lum-1	19:70
Lum-2-lum-2	19:70
Lw-lw	19:52
Lws-lws	17:50
MM	16:43; 17:57; 18:49; 19:40, 70
Mdh-mdh	18:54
Mifo-mifo	16:43; 19:66
Mo-mo	15:54, 19:48
Mp-mp	16:43
Ms-1-ms-1	16:61
Ms-2-ms-2	16:60, 62
Ms-3-ms-3	16:60
Ms-4-ms-4	16:61
Ms-5-ms-5	16:60, 62
Ms-6-ms-6	16:60, 62
Ms-7-ms-7	16:60, 62
Ms-8-ms-8	16:60
Ms-9-ms-9	16:60, 62
Ms-10-ms-10	16:60, 62
Ms-11-ms-11	16:60, 62
N-n	18:56, 70; 19:38, 41, 66
Nana	15:45; 16:55; 18:13; 19:59
Nec-nec	17:68; 19:74
Nod-1-nod-1	16:31; 18:30
Nod-2-nod-2	16:31; 18:30
Nod-3-nod-3	15:31; 16:23, 25, 31
Np-np	16:61; 19:41
O-o	19:66, 74
Oh-oh	15:33; 16:43; 17:56; 19:66
Orc-orc	16:70; 17:51; 18:45, 48; 19:66
Orl-ori	18:48; 19:56, 74
Orp-orp	15:49

P_p	15:33, 56
Pal-pal	16:43
6Pdg-1-6pdg-1	19:90
6Pdg-2-6pdg-2	19:89
Pep-4-pep-4	19:80
6Pgd-c-6pdg-c	19:89
6Pgd-p-6pgd-p	19:80
Pl-pl	15:33, 54; 16:55, 61; 19:38, 77, 80
Pmv-pmv	19:48
Pre-pre	16:43
Pu-pu	15:49, 56
Pur-pur	15:49, 56; 19:66
Put-put	18:5
Py-py	19:66
R-r	15:9, 40, 54; 16:59, 61, 64; 17:11, 14; 18:45, 48, 49; 19:20, 31, 33, 35, 40, 72, 80
Rb-rb	19:40
Rag-rag	18:39
Red-red	16:61
Rrn-2	19:80
Rup-rup	19:66
S-s	16:43; 19:66
Sbm-sbm	18:22; 19:48, 55
Sbm-2-sbm-2	19:48
Sbm-3-sbm-3	19:48
Sbm-4-sbm-4	19:48
Sg-sg	15:26; 16:19, 27; 17:4; 18:3
Sil-sil	18:42; 19:33
Sn-sn	16:54, 57; 18:12
Sru-sru	19:66
St-st	15:47, 54; 16:35, 43, 4b, 61; 17:6, 54, 56, 57, 68, 75; 18:27, 39, 49; 19:12, 20, 40, 45, 66, 70, 77, 78, 80
Str-str	16:43
Sym-1-sym-1	16:31
Sym-2-sym-2	16:31
Sym-3-sym-3	16:31
Sym-4-sym-4	16:31
Sym-5-sym-5	16:31; 18:33; 19:17
Sym-6-sym-6	16:31
Sym-7-sym-7	18:33; 19:17
Sym-8-sym-8	18:33; 19:17
Sym-9-sym-9	18:33; 19:17
Sym-10-sym-10	19:17
Sym-11-sym-11	19:17
Sym-12-sym-12	19:17
Sym-13-sym-13	19:17
Tac-tac	16:46; 17:57; 18:39, 49, 67; 19:40, 82
Tac-tac ^B	18:49
Tac-tac ^S	18:49
Td-td	16:43; 19:38, 41, 80
Te-te	15:55; 17:68, 70; 19:66, 74
Tl-tl	15:55; 16:35, 41, 46, 59, 61; 17:6, 11, 14, 54; 18:27, 45, 48, 67; 19:31, 35, 72, 77, 78, 80

U-u 16:43; 17:14, 68; 18:5; 19:66
Ust-u 18:5, 34
Uni-uni 18:49, 67; 19:70
Unitac-uni 18:49
V-v 15:11; 16:61; 18:56; 19:20, 41
Ve-ve 16:43
Vi-vi 16:10
Veg-veg 16:57; 18:12
Wa-wa 15:33
Was-was 18:70; 19:38, 41
Wb-wb 15:33; 16:43; 19:66
Wel-wel 15:47; 18:49
Wex-wex 15:47
Wlo-wlo 15:33, 45, 55; 16:46, 55, 61; 19:33, 78
Wil-wil 15:18
Wsp-wsp 17:14; 18:45; 19:33, 80
Z-z 15:54; 16:43; 17:56, 70; 19:38